Thursday, 11/01/2007 10:40:40 AM

Linda Lacelle

## **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 29935

**Estimate Number** 

: 11926 :NA

P.O. Number This Issue

: 11/01/2007

S.O. No. : NIA

Prsht Rev.

: NC

: 13/12/2006 First Issue

Type

: SMALL /MED FAB

**Previous Run** 

Written By

Checked & Approved By

Comment

: Est. C 05.04.13 Reformat KJ/JLM

**Part Number Drawing Number** 

**Drawing Name** 

: D2003109 : UNDER REVIEW

: TUBE ASSEMBLY

**Project Number Drawing Revision** 

: N/A

Material **Due Date** 

: 10/01/2007

Qty:

5 Um:

Each

**Additional Product** 

Job Number:



Seq. #:

Description:

6061-T6 Tube .375 x.058W

1.0

M6061T6T0375W058

0.7875 f(s)/Unit Total: 3.93757(s)

6061-T6 Tube .375 x.058W

Cut tube Ø 0.500" x 0.935" wall as per template D2003-109 (8.125" long)

Material: AISI 304 SS tubing (M304TR0.500x0.035) Batch: \_

2.0

M6061T6T0500W035

6061 T6 Tube .500 x.035W



Comment: Qty.:

Comment: Qty.:

0.7875 f(s)/Unit Total:

3.9375 f(s)

6061-T6 Tube .500 x.035W



Sele properties

07-01-11

3.0

M26506



0.7219 f(s)/Unit Total:

3.6094 f(s) Cut: 8.25" long as per Dwg D2003 and heat shrink

Material: M2650-6 Heat sleeve

Batch: M17521

Heat Shrink

4.0

D2182



0.3063 f(s)/Unit Total:

1.5314 f(s)

Comment: Qty.: **Heat Shrink** 

Cut: Qty

1

Part Number D2182-035

Description

621864 B 24615.

ME

Cut 8.25" long Heat sleeve as per Dwg D2003 & heat shrink

**Heat Shrink** 

MF. 07-01-16



## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES													
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector								
07-01	4.														
10.															

Part No: _	PAR #: _	Fault Category:	NCR: Yes No DQA:	Date:
			QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification	Approval	Approval			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	QC Inspector			
07-01-	16 Heat Shrink on 2 tubes too much to they came off. Had to take a larger band x2 in order to fit.			Plant & Replaced with 2 larger bands. B 24615.	01/01/16		Mollio				

NOTE: Date & initial all entries

Thursday, 11/01/2007 10:40:41 AM Date: User. Linda Lacelle **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: TUBE ASSEMBLY Job i mber: 29935 Part Number: D2003109 Job Number: Seq. #: **Description: Machine Or Operation:** SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 5.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 07-01-12. Form tube as per template D2003-109 INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP 7.0 MS208198D Sleeve Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Sleeve Pick: **Qty Part Number** Description 2 MS20819-8D Sleeve MF. 07-01-16 AN8188D 8.0 Nut Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Nut Pick: **Qty Part Number** Description Batch MI0184() 2 AN818-8D Nut mF. 07-01-16 9.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 MF. 07-0)-16 Assemble as per Dwg D2003 Install Red decal and heat shrink as per PPP D2003-109 INSPECT WORK TO CURRENT STEP 10.0 QC5

Comment: INSPECT WORK TO CURRENT STEP



User: 🗗

Thursday, 11/01/2007 10:40:41 AM

Linda Lacelle

**Process Sheet** 

Customer: CU-DAR001 Dart Helicopters Services

**Drawing Name: TUBE ASSEMBLY** 

Job Kamber: 29935

Part Number: D2003109

Job Number:



Seq. #:

**Machine Or Operation:** 

**Description:** 

11.0

PACKAGING 1

PACKAGING RESOURCE #1

**Comment: PACKAGING RESOURCE #1** 

Identify and Stock

Location: 5+14

12.0

QC21



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



CL07/01/17

Dart Aerospace Ltd. Wednesday, 12/13/2006 2:47:54 PM Date Kim Johnston User: **Process Sheet Drawing Name** : TUBE ASSEMBLY Customer : CU-DAR001 Dart Helicopters Services Job Number : 29935 **Estimate Number** : 11926 : D2003109 P.O. Number **Part Number** : UNDER REVIEW -- CB 06.12.13 : 12/13/2006 This Issue S.O. No. : **Drawing Number** Prsht Rev. : NC : N/A **Project Number** SEE NOTE ON DWG : // : SMALL /MED FAB : B First Issue Type **Drawing Revision** Material **Previous Run** : 1/10/2007 Qty: 5 Um: **Due Date** Written By Checked & Approved By Comment KJ/JLM : Est. Reformat **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 6061-T6 Tube .375 x.058W 1.0 M6061T6T08 3.9375 f(s) Comment: Qty.: 0.7875 f(s)/Unit Total: 6061-T6 Tube ~375 x:058W . SOO X 0 多らい Cut tube @ 0.500" x 0.035" wall as per template D2003-109 (8.125" long) Material: AISI 304 SS tubing (M304TR0.500x0-035) ME M26506 2.0 Firesleeve-crkl .375IDia Comment: Qty.: -0<del>.72</del>19 f(s)/Unit Total : Cut: 8.25" long as per Dwg D2003 and heat shrink Material: M2650-6 Heat sleeve Batch: 3.0 D2182 Heat Shrink Comment: Qty.: 0.3063 f(s)/Unit Total: 1.5314 f(s) Heat Shrink Cut: Qty Description Part Number Batch D2182-035 Heat Shrink

Cut 8.25" long Heat sleeve as per Dwg D2003 & heat shrink

SMALL & MEDIUM FAB RESOURCE 1

Comment: SMALL & MEDIUM FAB RESOURCE 1

. Form tube as per template D2003-109

4.0

Each

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES													
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector								
Part No	,	PAR #· Fault Category:	NCR: Yes	No DO	Δ.	Date									

QA: N/C Closed: \_\_\_\_ Date: \_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)												
		Description of NC		Corrective Action Section B	Verification		Annroyal							
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto						
								•						
				•										

NOTE: Date & initial all entries





		V									
	DESIG	9	DRAWN BY	DART AEROSPACE LTD hawkesbury, ontario, canada							
)	CHEC	1	APPROVED	DRAWING NO. REV. B D2003 SHEET 1 OF 2							
	DATE	<del></del>		TITLE SCALE							
	99.0	06.08		206 CABIN HEATER TUBE ASSEMBLIES NTS							
	Α		90.04.09	NEW ISSUE							
	В		99.06.08	UPDATE PER TEMPLATES; ADD P/N'S; 0.025 TUBING NOW 0.035 (TSR1049)							

RELEASED 44.06.08 KED

NOTE: FLAT LENGTHS MAYBE UNDER REVIEW
INCORRECT. GEND TO BENT CL. 08.21 CB

OC. 08.21 CB Ismits wrong

SHOP COPY RETURN TO


TOOL. RE		100	.08-		<u>v</u>	يا اد	whis michel	FNGIN	FERING				
				T						- TUD (	ILLED COLT		
on corr	ECT FLAT	LENG	11 14	ш		3		3			UNCONTRO	MENDMENT	
		, '	Ī	ĬĮ.	l	H		Ш					
		ļ		۳,	<u></u>	SLEEVE	<u> </u>	1 73	<u>+</u>				
		<b>5</b>	E	3	3	ä	1 ⊋	Ö	2		WORK ORDER NO. 24335		
		H-	<u>5</u> 2	80	-	8	۵	96	Q		1 270	1435	
		HEATSLEEVE LENGTH	CUT LENGTH OF TUBE <sup>2</sup>	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT		NO. 4-	6-1-	
		F 5	#	20	81	8	8	220	8			VENDOR OR	
		市中	3.2	SE S	Z	MS	- A	ž	¥	DESC.	MATERIAL 4/6/7	SPEC	
P/N	TEMPLATE						<u> </u>		<del> </del>	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-001	T2003-001	5.2	6.00		ļ		<u> </u>	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-003	T2003-003	7.3	8.12				<u> </u>	•2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-005	T2003-005	9.8	10.62				<b></b>	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-009	T2003-009	12.38	12.44		- ' ' '		<del> </del>		1 2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-011	T2003-011	33.31	32.38		<u> </u>		<del> </del>	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-013	T2003-013	12.7	13.54		<u> </u>			2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-015	T2003-015	17.2	18.00				-	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-017	T2003-017	17.0	16.25		ļ		2	-		TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6	
D2003-019	T2003-019	9.8	10.62			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6	
D2003-021	T2003-021	N/A	2.25		ļ	2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6	
D2003-023	T2003-023	4.5	5.33			2	2		<del> </del>	TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6	
D2003-025	T2003-025	9.8	10.60		<u> </u>	2	2		├	TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6	
D2003-027	T2003-027	7.25	7.38			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6	
D2003-029	T2003-029	17.2	18.00			<del> </del>	<del> </del> _	<del> </del>		TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-031	T2003-031	14.6	15.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-033	T2003-033	29.75	29.62	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-035	T2003-035	24.7	27.00	2	2	<del> </del>			<del> </del>	TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-037	T2003-037	24.81	23.38	2	2	ļ			<u> </u>	TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-039	T2003-039	34.0	34.00	2	2	<u> </u>		<del> </del>		TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-041	T2003-041	6.0	5.88	2	2	<del> </del>		<del> </del>		TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-043	T2003-043	11.7	10.75	2	2			<del></del>	-	TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-045	T2003-045	3.50	2.44	2	2			<del> </del>	<del> </del>	TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-047	T2003-047	5.56	5.56	2	2	<del> </del>				TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304	
D2003-049	T2003-049	33.2	34.00	2	2			1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-077	T2003-077	N/A	6.25			<del> </del>		2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6	
D2003-101	T2003-101	13.25	13.13					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6	
D2003-103	T2003-103	12.38	12.00				-	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6	
D2003-105	T2003-105	10.75	10.60	<del> </del>				2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6	
D2003-107	T2003-107	12.75	12.25	├		2	2		-	TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6	
D2003-109	T2003-109	8.25	8.125		<del> </del>	2	2		<del> </del>	TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6	
D2003-111	T2003-111	4.75	4.625	<del> </del>				<del> </del>		HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLEX	
D2003-116	T2003-116	4.0		<del> </del>	<u> </u>		_			HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX	
D2003-120	T2003-120	4.0	<b></b>	<del>                                     </del>	-				-	HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX	
D2003-14	T2003-14	4.0		-		-	<del> </del>	<del> </del>		HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX	
D2003-16	T2003-16	4.0	0.60	-	<del> </del>	<del> </del>	<del> </del>	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-205	T2003-205	9.75	9.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6	
D2003-207	T2003-207	3.75	3.75		<b></b>	<del> </del>		<del> </del>	<del> </del>				
			<del> </del>	-		<del> </del>		-	<del> </del>				
i	1	ľ	1	L			L	1	L	L			





	()			
:	DESIGN	DRAWN BY	DART AEROSPACE LT HAWKESBURY, ONTARIO, CANADA	D
	CHECKED	APARDVED	DRAWING NO.	REV. B
	T.	I	D2003 SH	EET 2 OF 2
	DATE		TITLE	SCALE
	99.06.08		206 CABIN HEATER TUBE ASSEME	3LIES NTS






## Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

RHOP COPY
RETURN TO
ENGINEERING
INCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE



MS 20819-6D SLEEVE AN BIB-6D NOT OMITTED FOR CLARITY

DETRIL OF - 077

OKARANTAN MANAMAN PARAMAN MANAMAN MANA